

Info Plugin

~~INFO:syntaxmodes~~

listblock	10
preformatted	20
notoc	30
plugin_dw2pdf_pagesetting	40
nocache	
plugin_dw2pdf_exportlink	41
header	50
table	60
plugin_mathjax_protecttex	65
strong	70
emphasis	80
underline	90
plugin_cloud	98
plugin_siteexport_toc	100
monospace	
plugin_inlinejs_preloader	110
plugin_keywords_keywords	
subscript	
superscript	120
deleted	130
linebreak	140
footnote	150
plugin_bureaucracy	155
plugin_info	
plugin_simplenavi	
plugin_vshare_debug	
plugin_color	158
plugin_vshare_video	159
hr	160
plugin_pagelist	168
unformatted	170
plugin_confightmlok_html	190
plugin_confightmlok_htmlblock	
plugin_wrap_closesection	195
plugin_wrap_div	
plugin_wrap_divblock	
plugin_wrap_divwrap	
plugin_wrap_span	
plugin_wrap_spaninline	
plugin_wrap_spanwrap	

plugin_addnewpage	199
plugin_sectiontoggle	
code	200
file	210
quote	220
plugin_discussion_comments	230
smiley	
acronym	240
plugin_todo_list	250
entity	260
multiplyentity	270
quotes	280
plugin_tag_searchtags	295
plugin_tag_topic	
plugin_inclform	299
plugin_subpages	
plugin_siteexport_aggregate	300
plugin_siteexport_siteexport	
internallink	
plugin_gallery_list	301
plugin_gallery_main	
plugin_jplayer	
plugin_inlinejs_embedblock	305
plugin_inlinejs_embedcss	
plugin_inlinejs_embedder	
plugin_inlinejs_embedinline	
plugin_tag_count	
plugin_tag_tag	
plugin_tag_tagpage	
plugin_discussion_threads	306
rss	310
plugin_avatar	315
plugin_svgembed	
plugin_caption_caption	319
plugin_caption_reference	
media	320
externallink	330
emaillink	340
windowssharelink	350
eol	370
plugin_siteexport_toctools	999
plugin_todo_todo	

~~INFO:syntaxtypes~~

container	listblock, table, quote, hr, plugin_caption_caption, plugin_svgembed
baseonly	header

formatting	strong, emphasis, underline, monospace, subscript, superscript, deleted, footnote, plugin_color, plugin_wrap_div, plugin_wrap_divblock, plugin_wrap_divwrap, plugin_wrap_span, plugin_wrap_spaninline, plugin_wrap_spanwrap
substitution	acronym, smiley, wordblock, entity, camelcaselink, internallink, media, externallink, linebreak, emailink, windowssharelink, filelink, notoc, nocache, multiplyentity, quotes, rss, plugin_addnewpage, plugin_avatar, plugin_bureaucracy, plugin_caption_reference, plugin_cloud, plugin_discussion_comments, plugin_discussion_threads, plugin_dw2pdf_exportlink, plugin_dw2pdf_pagesetting, plugin_gallery_list, plugin_gallery_main, plugin_inclform, plugin_info, plugin_jplayer, plugin_keywords_keywords, plugin_pagelist, plugin_sectiontoggle, plugin_simplenavi, plugin_siteexport_aggregate, plugin_siteexport_siteexport, plugin_siteexport_toctools, plugin_subpages, plugin_tag_count, plugin_tag_searchtags, plugin_tag_tag, plugin_tag_tagpage, plugin_tag_topic, plugin_todo_list, plugin_todo_todo, plugin_vshare_debug, plugin_vshare_video, plugin_wrap_closesection
protected	preformatted, code, file, plugin_inlinejs_embedblock, plugin_inlinejs_embedcss, plugin_inlinejs_embedder, plugin_inlinejs_embedinline, plugin_inlinejs_preloader, plugin_mathjax_protecttex, plugin_siteexport_toc
disabled	unformatted, plugin_confightmllok_html, plugin_confightmllok_htmlblock
paragraphs	eol

'Substitution' may look like a typo, but it's not (any more). It's transformed into the "standard". See  [this footnote](#) for an explanation.

~~INFO:syntaxplugins~~

- [Add New Page plugin](#) 2025-04-22 von [Damien Regad](#), [Benjamin Santalucia](#), [Sam Wilson](#) and other contributors
Adds a "new page form" to any wiki page.
- [Avatar](#) 2023-12-04 von [Daniel Rodrigues](#), [Michael Hamann](#), [Gina Häußge](#), et al.
Displays avatar images
- [Bureaucracy Plugin](#) 2025-03-06 von [Andreas Gohr](#)
Create forms and generate pages or emails from them
- [caption plugin](#) 2024-11-22 von [Till Biskup](#)
adding figure and table captions
- [Cloud Plugin](#) 2023-02-11 von [Michael Hamann](#), [Michael Klier](#), [Gina Häussge](#)
Displays the most used words in a word cloud.
- [color syntax plugin](#) 2022-10-19 von [Harald Hanche-Olsen](#)
Write colored text in DokuWiki.
- [config:htmllok Plugin](#) 2023-07-12 von [Luis Machuca Bezzaza](#)
Enables raw HTML like the old 'config:htmllok' behaviour.
- [discussion plugin](#) 2021-12-31 von [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [Dw2Pdf plugin](#) 2023-11-25 von [Andreas Gohr](#) and [Luigi Micco](#)
DokuWiki to PDF converter
- [Gallery Plugin](#) 2024-04-30 von [Andreas Gohr](#)
Creates a gallery of images from a namespace or RSS/ATOM feed
- [Include Form](#) 2016-10-02 von [ctiehr](#), [Kite](#)
Includes an approved form into a page. Can also be used to insert safely php into pages.
- [Info Plugin](#) 2020-06-04 von [Andreas Gohr](#)

Displays information about various DokuWiki internals

- [Inline JavaScript and CSS plugin](#) 2019-10-05 von [Satoshi Sahara](#)
Allow spot-based embedding of JavaScript and StyleSheet in the page.
- [jplayer](#) 2020-11-10 von [Szymon Olewniczak](#)
Embed jplayer in your dokuwiki pages.
- [Keywords](#) 2023-06-19 von [i-net /// software](#); [Ilya Lebedev](#)
Defines keywords for the page, using `{{keywords>word1, word2, wordN}}` syntax.
- [MathJax plugin](#) 2021-11-20 von [Mark Liffiton](#)
Enables MathJax (<https://www.mathjax.org/>) parsing of TeX math expressions in wiki pages
- [Pagelist Plugin](#) 2023-08-27 von [Matthias Schulte](#), [Michael Hamann](#), [Michael Klier](#), [Gina Häussge](#)
Lists pages in a nice formatted way
- [sectiontoggle](#) 2023-12-27 von [Myron Turner](#), [Elbie M](#)
Toggles sections for display and hide by clicking headers
- [simplenavi plugin](#) 2025-05-22 von [Andreas Gohr](#)
Create a simple navigation tree based on namespaces
- [Site Export](#) 2023-07-07 von [i-net software](#)
exports the dokuwiki site in the given format
- von
- [svgEmbed plugin](#) 2021-06-09 von [Michael Bowers](#)
Allows the use of the standard media syntax, but SVG files are placed with the `<object>` or `<embed>` tag, not the `<img>` tag.
- [Tag Plugin](#) 2023-10-17 von [Michael Hamann](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#)
tag wiki pages
- [ToDo](#) 2024-05-10 von [Leo Eibler](#), [Christian Marg](#), [Markus Gschwendt](#), [Robert Weinmeister](#)
Create a checkbox based todo list with optional user assignment (basic syntax: `<todo>This is a ToDo</todo>`). It can also be used as a lightweight task list management system.
- [Video Sharing Site Plugin](#) 2025-02-21 von [Andreas Gohr](#)
Easily embed videos from various Video Sharing sites. Example: `{{youtube>XXXXXX}}`
- [Wrap Plugin](#) 2023-08-13 von [Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

~~INFO:adminplugins~~

- [ACL Manager](#) 2015-07-25 von [Andreas Gohr](#)
Manage Page Access Control Lists
- [Abbreviations editor](#) 2019-09-25 von [Alexey Markouski](#)
Provide abbreviation editor on administration page
- [Advanced DokuWiki](#) 2022-12-10 von [Giuseppe Di Terlizzi](#)
Import/Export utility and control the advanced settings of your DokuWiki installation
- [BackupTool for DokuWiki 1.0.1](#) 2020-10-21 von [Terence J. Grant](#)
A tool to backup your data and configuration.
- [Configuration Manager](#) 2015-07-18 von [Christopher Smith](#)
Manage Dokuwiki's Configuration Settings
- [discussion plugin](#) 2021-12-31 von [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [farmer plugin](#) 2024-11-12 von [Michael Große](#), [Andreas Gohr](#)

- A plugin to help with creating and administering wiki farm animals
- [logviewer plugin](#) 2023-12-22 von [Andreas Gohr](#)
View DokuWiki logs
- [Move plugin](#) 2024-05-07 von [Michael Hamann](#), [Gary Owen](#), [Arno Puschmann](#), [Christoph Jähnigen](#)
Move and rename pages and media files whilst maintaining the links.
- [Popularity Feedback Plugin](#) 2015-07-15 von [Andreas Gohr](#)
Send anonymous data about your wiki to the DokuWiki developers
- [Revert Manager](#) 2015-07-15 von [Andreas Gohr](#)
Allows you to mass revert recent edits to remove Spam or vandalism
- [Site Export](#) 2023-07-07 von [i-net software](#)
exports the dokuwiki site in the given format
- [smtp plugin](#) 2023-04-03 von [Andreas Gohr](#)
Send mails via a configured SMTP server
- [Stale plugin](#) 2023-02-20 von [ComboStrap](#)
Make the cache stale by touching configuration files
- [styling plugin](#) 2020-06-14 von [Andreas Gohr](#)
Allows to edit style.ini replacements
- [User Manager](#) 2015-07-15 von [Chris Smith](#)
Manage DokuWiki user accounts

~~INFO:actionplugins~~

- [ACL Manager](#) 2015-07-25 von [Andreas Gohr](#)
Manage Page Access Control Lists
- [Bureaucracy Plugin](#) 2025-03-06 von [Andreas Gohr](#)
Create forms and generate pages or emails from them
- [CAPTCHA Plugin](#) 2023-12-06 von [Andreas Gohr](#)
Use a CAPTCHA challenge to protect DokuWiki against automated spam
- [caption plugin](#) 2024-11-22 von [Till Biskup](#)
adding figure and table captions
- [Copycode](#) 2023-11-08 von [Nicolas Prigent](#)
Copy code block to clipboard. Just click on the code block !
- [discussion plugin](#) 2021-12-31 von [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [Dw2Pdf plugin](#) 2023-11-25 von [Andreas Gohr](#) and [Luigi Micco](#)
DokuWiki to PDF converter
- [dwedit](#) 2022-09-27 von [Myron Turner](#)
adds dokuwiki native editor icon to utils
- [farmer plugin](#) 2024-11-12 von [Michael Große](#), [Andreas Gohr](#)
A plugin to help with creating and administering wiki farm animals
- [Gallery Plugin](#) 2024-04-30 von [Andreas Gohr](#)
Creates a gallery of images from a namespace or RSS/ATOM feed
- [Inline JavaScript and CSS plugin](#) 2019-10-05 von [Satoshi Sahara](#)
Allow spot-based embedding of JavaScript and StyleSheet in the page.
- [jplayer](#) 2020-11-10 von [Szymon Olewniczak](#)
Embed jplayer in your dokuwiki pages.
- [Keywords](#) 2023-06-19 von [i-net /// software](#); [Ilya Lebedev](#)
Defines keywords for the page, using {{keywords>word1, word2, wordN}} syntax.
- [logviewer plugin](#) 2023-12-22 von [Andreas Gohr](#)

View DokuWiki logs

- [MathJax plugin](#) 2021-11-20 von [Mark Liffiton](#)
Enables MathJax (<https://www.mathjax.org/>) parsing of TeX math expressions in wiki pages
- [Move plugin](#) 2024-05-07 von [Michael Hamann](#), [Gary Owen](#), [Arno Puschmann](#), [Christoph Jähnigen](#)
Move and rename pages and media files whilst maintaining the links.
- [Namespace Export](#) 2017-02-08 von [Andreas Gohr](#)
Export all pages in a given namespace
- [Popularity Feedback Plugin](#) 2015-07-15 von [Andreas Gohr](#)
Send anonymous data about your wiki to the DokuWiki developers
- [prosemirror plugin](#) 2024-11-21 von [Andreas Gohr](#)
A WYSIWYG editor for DokuWiki
- [safefnrecode plugin](#) 2012-07-28 von [Andreas Gohr](#)
Changes existing page and folder names for the change in the safe filename encoding
- [sectiontoggle](#) 2023-12-27 von [Myron Turner](#), [Elbie M](#)
Toggles sections for display and hide by clicking headers
- [Site Export](#) 2023-07-07 von [i-net software](#)
exports the dokuwiki site in the given format
- [smtp plugin](#) 2023-04-03 von [Andreas Gohr](#)
Send mails via a configured SMTP server
- [Stale plugin](#) 2023-02-20 von [ComboStrap](#)
Make the cache stale by touching configuration files
- [styling plugin](#) 2020-06-14 von [Andreas Gohr](#)
Allows to edit style.ini replacements
- [Tag Plugin](#) 2023-10-17 von [Michael Hamann](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#)
tag wiki pages
- [ToDo](#) 2024-05-10 von [Leo Eibler](#), [Christian Marg](#), [Markus Gschwendt](#), [Robert Weinmeister](#)
Create a checkbox based todo list with optional user assignment (basic syntax: <todo>This is a ToDo</todo>). It can also be used as a lightweight task list management system.
- [Video Sharing Site Plugin](#) 2025-02-21 von [Andreas Gohr](#)
Easily embed videos from various Video Sharing sites. Example: {{youtube>XXXXXX}}
- [Wrap Plugin](#) 2023-08-13 von [Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

~~INFO:rendererplugins~~

- [Dw2Pdf plugin](#) 2023-11-25 von [Andreas Gohr](#) and [Luigi Micco](#)
DokuWiki to PDF converter
- [prosemirror plugin](#) 2024-11-21 von [Andreas Gohr](#)
A WYSIWYG editor for DokuWiki
- [Site Export](#) 2023-07-07 von [i-net software](#)
exports the dokuwiki site in the given format

~~INFO:helperplugins~~

- [Avatar](#) 2023-12-04 von [Daniel Rodrigues](#), [Michael Hamann](#), [Gina Häußge](#), et al.
Displays avatar images

- [Bureaucracy Plugin](#) 2025-03-06 von [Andreas Gohr](#)
Create forms and generate pages or emails from them
- [CAPTCHA Plugin](#) 2023-12-06 von [Andreas Gohr](#)
Use a CAPTCHA challenge to protect DokuWiki against automated spam
- [discussion plugin](#) 2021-12-31 von [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [farmer plugin](#) 2024-11-12 von [Michael Große](#), [Andreas Gohr](#)
A plugin to help with creating and administring wiki farm animals
- [Inline JavaScript and CSS plugin](#) 2019-10-05 von [Satoshi Sahara](#)
Allow spot-based embedding of JavaScript and StyleSheet in the page.
- [Move plugin](#) 2024-05-07 von [Michael Hamann](#), [Gary Owen](#), [Arno Puschmann](#), [Christoph Jähnigen](#)
Move and rename pages and media files whilst maintaining the links.
- [Pagelist Plugin](#) 2023-08-27 von [Matthias Schulte](#), [Michael Hamann](#), [Michael Klier](#), [Gina Haeussge](#)
Lists pages in a nice formatted way
- [Popularity Feedback Plugin](#) 2015-07-15 von [Andreas Gohr](#)
Send anonymous data about your wiki to the DokuWiki developers
- [prosemirror plugin](#) 2024-11-21 von [Andreas Gohr](#)
A WYSIWYG editor for DokuWiki
- [Site Export](#) 2023-07-07 von [i-net software](#)
exports the dokuwiki site in the given format
- [smtp plugin](#) 2023-04-03 von [Andreas Gohr](#)
Send mails via a configured SMTP server
- [Stale plugin](#) 2023-02-20 von [ComboStrap](#)
Make the cache stale by touching configuration files
- [Tag Plugin](#) 2023-10-17 von [Michael Hamann](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#)
tag wiki pages
- [Video Sharing Site Plugin](#) 2025-02-21 von [Andreas Gohr](#)
Easily embed videos from various Video Sharing sites. Example: `{{youtube>XXXXXX}}`
- [Wrap Plugin](#) 2023-08-13 von [Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

~~**INFO:helpermethods**~~

Avatar

Displays avatar images

```
$avatar = plugin_load('helper', 'avatar');
```

\$avatar->getXHTML()

Description	returns the XHTML to display an avatar
--------------------	--

Parameters	user or mail	string
	title (optional)	string
	align (optional)	string
	size (optional)	integer
Return value	xhtml	string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_action = plugin_load('helper', 'bureaucracy_action');
```

\$bureaucracy_action->run()

Description	Handle the user input	
Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_actionmail = plugin_load('helper', 'bureaucracy_actionmail');
```

\$bureaucracy_actionmail->run()

Description	Handle the user input	
Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_actionscript = plugin_load('helper', 'bureaucracy_actionscript');
```

\$bureaucracy_actionscript->run()

Description	Handle the user input
-------------	-----------------------

Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_actiontemplate = plugin_load('helper',
'bureaucracy_actiontemplate');
```

\$bureaucracy_actiontemplate->run()

Description	Handle the user input	
Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_field = plugin_load('helper', 'bureaucracy_field');
```

\$bureaucracy_field->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_field->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_field->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_field->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_field->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_field->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_field->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldaddpage = plugin_load('helper',  
'bureaucracy_fieldaddpage');
```

\$bureaucracy_fieldaddpage->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldaddpage->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldaddpage->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldaddpage->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldaddpage->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldaddpage->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldaddpage->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddate = plugin_load('helper', 'bureaucracy_fielddate');
```

\$bureaucracy_fielddate->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddate->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielddate->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fielddate->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fielddate->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fielddate->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fielddate->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddemail = plugin_load('helper', 'bureaucracy_fielddemail');
```

\$bureaucracy_fielddemail->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddemail->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielddemail->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldemail->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldemail->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldemail->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldemail->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldfieldset = plugin_load('helper',  
'bureaucracy_fieldfieldset');
```

\$bureaucracy_fieldfieldset->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldfieldset->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldfieldset->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldfieldset->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldfieldset->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldfieldset->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldfieldset->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldfile = plugin_load('helper', 'bureaucracy_fieldfile');
```

\$bureaucracy_fieldfile->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldfile->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldfile->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldfile->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldfile->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldfile->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldfile->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldhidden = plugin_load('helper', 'bureaucracy_fieldhidden');
```

\$bureaucracy_fieldhidden->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldhidden->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldhidden->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldhidden->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldhidden->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldhidden->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldhidden->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldhiddenautoinc = plugin_load('helper',  
'bureaucracy_fieldhiddenautoinc');
```

\$bureaucracy_fieldhiddenautoinc->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldhiddenautoinc->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldhiddenautoinc->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldhiddenautoinc->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldhiddenautoinc->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldhiddenautoinc->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldhiddenautoinc->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldmultiselect = plugin_load('helper',
'bureaucracy_fieldmultiselect');
```

\$bureaucracy_fieldmultiselect->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldmultiselect->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldmultiselect->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldmultiselect->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldmultiselect->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldmultiselect->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldmultiselect->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldnumber = plugin_load('helper', 'bureaucracy_fieldnumber');
```

\$bureaucracy_fieldnumber->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldnumber->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldnumber->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldnumber->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldnumber->isSet()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldnumber->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldnumber->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddonoff = plugin_load('helper', 'bureaucracy_fielddonoff');
```

\$bureaucracy_fielddonoff->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddonoff->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielddonoff->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fielddonoff->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fielddonoff->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fielddonoff->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fielddonoff->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddpassword = plugin_load('helper',
'bureaucracy_fielddpassword');
```

\$bureaucracy_fielddpassword->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddpassword->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielddpassword->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldpassword->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldpassword->isSet()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldpassword->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldpassword->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddradio = plugin_load('helper', 'bureaucracy_fielddradio');
```

\$bureaucracy_fielddradio->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddradio->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielddradio->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldradio->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldradio->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldradio->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldradio->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldselect = plugin_load('helper', 'bureaucracy_fieldselect');
```

\$bureaucracy_fieldselect->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldselect->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldselect->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldselect->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldselect->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldselect->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldselect->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldstatic = plugin_load('helper', 'bureaucracy_fieldstatic');
```

\$bureaucracy_fieldstatic->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldstatic->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldstatic->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldstatic->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldstatic->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldstatic->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldstatic->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldsubject = plugin_load('helper',  
'bureaucracy_fieldsubject');
```

\$bureaucracy_fieldsubject->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldsubject->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldsubject->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldsubject->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldsubject->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldsubject->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldsubject->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldsubmit = plugin_load('helper', 'bureaucracy_fieldsubmit');
```

\$bureaucracy_fieldsubmit->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldsubmit->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldsubmit->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldsubmit->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldsubmit->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldsubmit->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldsubmit->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldtextarea = plugin_load('helper',  
'bureaucracy_fieldtextarea');
```

\$bureaucracy_fieldtextarea->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldtextarea->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldtextarea->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldtextarea->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldtextarea->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldtextarea->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldtextarea->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldtextbox = plugin_load('helper',  
'bureaucracy_fieldtextbox');
```

\$bureaucracy_fieldtextbox->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldtextbox->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldtextbox->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldtextbox->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldtextbox->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldtextbox->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldtextbox->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddtime = plugin_load('helper', 'bureaucracy_fielddtime');
```

\$bureaucracy_fielddtime->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddtime->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielddtime->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldtime->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldtime->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldtime->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldtime->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldusemailtemplate = plugin_load('helper',
'bureaucracy_fieldusemailtemplate');
```

\$bureaucracy_fieldusemailtemplate->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldusemailtemplate->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldusemailtemplate->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldusemailtemplate->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldusemailtemplate->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldusemailtemplate->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldusemailtemplate->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielduser = plugin_load('helper', 'bureaucracy_fielduser');
```

\$bureaucracy_fielduser->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielduser->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielduser->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fielduser->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fielduser->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fielduser->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fielduser->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldusers = plugin_load('helper', 'bureaucracy_fieldusers');
```

\$bureaucracy_fieldusers->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldusers->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldusers->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldusers->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldusers->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldusers->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldusers->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldwiki = plugin_load('helper', 'bureaucracy_fieldwiki');
```

\$bureaucracy_fieldwiki->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldwiki->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldwiki->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldwiki->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldwiki->isSet()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldwiki->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldwiki->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddyesno = plugin_load('helper', 'bureaucracy_fielddyesno');
```

\$bureaucracy_fielddyesno->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddyesno->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielddyesno->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldyesno->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldyesno->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldyesno->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldyesno->after_action()

Description	Executed after performing the action hooks
--------------------	--

discussion plugin

Provides discussion functionality for wiki pages

```
$discussion = plugin_load('helper', 'discussion');
```

\$discussion->th()

Description	returns the header of the comments column for pagelist	
Return value	header	string

\$discussion->td()

Description	returns the link to the discussion section with number of comments	
Parameters	id	string
	number of comments (optional)	integer
Return value	link	string

\$discussion->getThreads()

Description	returns pages with discussion sections, sorted by recent comments	
Parameters	namespace	string
	number (optional)	integer
Return value	pages	array

\$discussion->getComments()

Description	returns recently added or edited comments individually
--------------------	--

Parameters	namespace	string
	number (optional)	integer
Return value	pages	array

\$discussion->isDiscussionModerator()

Description	check if current user is member of moderator groups	
Return value	isModerator	boolean

Pagelist Plugin

Lists pages in a nice formatted way

```
$pagelist = plugin_load('helper', 'pagelist');
```

\$pagelist->addColumn()

Description	(optional) adds an extra column for plugin data	
Parameters	plugin name	string
	column key	string

\$pagelist->modifyColumn()

Description	(optional) override value of an existing column, value equal to false disables column	
Parameters	column key	string
	value	int bool

\$pagelist->setHeader()

Description	(optional) Provide header data, if not given default values or [plugin]->th() is used	
Parameters	column key	string
	value	int bool

\$pagelist->setFlags()

Description	(optional) overrides default flags, or en/disable existing columns	
Parameters	flags	array
Return value	success	boolean

\$pagelist->startList()

Description	(required) prepares the table header for the page list
--------------------	--

\$pagelist->addPage()

Description	(required) adds a page to the list	
Parameters	page attributes, 'id' required, others optional	array

\$pagelist->finishList()

Description	(required) returns the XHTML output	
Return value	xhtml	string

Tag Plugin

tag wiki pages

```
$tag = plugin_load('helper', 'tag');
```

\$tag->overrideSortFlags()

Description	takes an array of sortflags and overrides predefined value	
Parameters	name	string

\$tag->th()

Description	returns the header for the tags column for pagelist	
Return value	header	string

\$tag->td()

Description	returns the tag links of a given page	
Parameters	id	string
Return value	links	string

\$tag->tagLinks()

Description	generates tag links for given words	
Parameters	tags	array
Return value	links	string

\$tag->getTopic()

Description	returns a list of pages tagged with the given keyword	
Parameters	namespace (optional)	string
	number (not used)	integer
	tag (required)	string
Return value	pages	array

\$tag->tagRefine()

Description	refines an array of pages with tags	
Parameters	pages to refine	array
	refinement tags	string
Return value	pages	array

\$tag->tagOccurrences()

Description	returns a list of tags with their number of occurrences	
Parameters	list of tags to get the occurrences for	array
	namespaces to which the search shall be restricted	array
	if all tags shall be returned (then the first parameter is ignored)	boolean
	if the namespaces shall be searched recursively	boolean
Return value	tags	array

From:

<https://gatonero.duckdns.org/!amateurfunk/> - **Amateurfunk**

Permanent link:

<https://gatonero.duckdns.org/!amateurfunk/playground:infoplugin>

Last update: **2025/05/23 10:17**

